## Claims

## 1. A compound of the formula

wherein

R<sup>1</sup> and R<sup>2</sup> are independently unsubstituted phenyl, or phenyl which is mono-, di- or tri-substituted, independently, by hydroxy, lower alkyl, lower alkoxy, perfluoro-lower alkyl, perfluoro-lower alkoxy, alkanoyl, cyano, nitro or halogen; or R<sup>1</sup> and R<sup>2</sup> together with the carbon atom to which they are attached form a 10',11'-dihydro-2,5'-[5H]dibenzo-[a,d]cycloheptene residue;

R<sup>3</sup> and R<sup>4</sup> are independently hydrogen, halogen, hydroxy, lower alkyl, lower alkoxy, perfluoro-lower alkyl, alkanoyl or cyano;

R<sup>5</sup> is hydrogen, lower alkyl, lower alkylsulfonyl, cycloalkyl lower alkyl or hydroxylower alkyl;

R<sup>6</sup> is Y-R<sup>8</sup>, lower alkyl, lower alkoxy, hydroxy-lower alkyl, lower alkoxy-lower alkyl, lower alkylaminocarbonyl-lower alkyl, heterocyclyl, cycloalkyl, phenyl or phenyl lower alkyl, wherein the phenyl moiety may optionally be mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, halogen, perfluoro-lower alkyl, hydroxy, alkanoyl or cyano; or

R<sup>6</sup> is hydrogen when X is -C(O)- or -SO<sub>2</sub>-; or

R<sup>5</sup> and R<sup>6</sup> together with the nitrogen atom to which they are attached form a 4-, 5-, 6- or 7-membered monocyclic or a 8-, 9-, 10-, or 12-membered bicyclic, saturated or unsaturated heterocyclic ring which may optionally contain one or two further heteroatoms independently selected from O, N and S, said heterocyclic ring being optionally mono-, di-

or tri-substituted, independently, by lower alkyl, lower alkoxycarbonyl, hydroxy lower alkyl, lower alkoxy-lower alkyl, di-lower alkylcarbamoyl, carbamoyl, lower alkylcarbonyl amino, oxo, dioxo, alkanoyl, amino lower alkyl, hydroxy, lower alkoxy, halogen, perfluoro-lower alkyl, cyano, heteroaryl, or by phenyl or phenyl lower alkyl, wherein the phenyl moiety may optionally be mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, halogen, perfluoro-lower alkyl, hydroxy, alkanoyl or cyano;

R<sup>7</sup> is hydrogen, halogen, lower alkyl or cyano;

R<sup>8</sup> is phenyl, cycloalkyl, heterocyclyl or heteroaryl;

X is a single bond,  $-CH_2-$ , -C(O)-,  $-SO_2-$  or  $-SO_2NH-$ ;

Y is 
$$-CH_2-$$
,  $-C(O)-$ ,  $-NH-$  or  $-SO_2-$ ;

and pharmaceutically acceptable salts thereof.

The compound of claim 1, wherein R<sup>1</sup> and R<sup>2</sup> are independently phenyl, optionally mono-, di- or tri-substituted, independently, by hydroxy, lower alkyl, lower alkoxy, perfluoro-lower alkyl, alkanoyl, cyano or halogen; R<sup>3</sup> and R<sup>4</sup> are independently hydrogen, halogen, hydroxy, lower alkyl, lower alkoxy, perfluoro-lower alkyl, alkanoyl or cyano; R<sup>5</sup> is hydrogen or lower alkyl; R<sup>6</sup> is phenyl or phenyl lower alkyl, wherein the phenyl moiety may optionally be mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, halogen, perfluoro-lower alkyl, hydroxy, alkanoyl or cyano; R5 and R6 together with the nitrogen atom to which they are attached form a 5-, 6- or 7-membered monocyclic or a 9- or 10-membered bicyclic, saturated or unsaturated heterocyclic ring which may optionally contain one or two further heteroatoms independently selected from O, N and S, said heterocyclic ring being optionally mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxycarbonyl, hydroxy lower alkyl, alkanoyl, amino lower alkyl, hydroxy, lower alkoxy, halogen, perfluoro-lower alkyl, cyano, heteroaryl, or by phenyl or phenyl lower alkyl, wherein the phenyl moiety may optionally be mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, halogen, perfluoro-lower alkyl, hydroxy, alkanoyl or cyano;  $R^7$  is hydrogen; X is  $-CH_2-$ , -C(O)- or  $-SO_2-$ ; and pharmaceutically acceptable salts thereof.

- 3. The compound of claim1, wherein R<sup>1</sup> and R<sup>2</sup> are independently unsubstituted phenyl or phenyl which is mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, perfluoro-lower alkyl, perfluoro-lower alkoxy, cyano, nitro or halogen.
- 4. The compound of claim 1, wherein  $R^1$  and  $R^2$  are independently phenyl which is mono- or di-substituted, independently, by halogen or by lower alkoxy.
- 5. The compound of claim 1, wherein R<sup>1</sup> and R<sup>2</sup> together with the carbon atom to which they are attached form a 10',11'-dihydro-2,5'-[5H]dibenzo[a,d]cycloheptene residue.
- 6. The compound of claim 1, wherein R<sup>3</sup> and R<sup>4</sup> are independently hydrogen, hydroxy or halogen.
  - 7. The compound of claim 1, wherein R<sup>3</sup> and R<sup>4</sup> are hydrogen.
- 8. The compound of claim 1, wherein R<sup>5</sup> and R<sup>6</sup> together with the nitrogen atom to which they are attached form a 4-, 5-, 6- or 7-membered monocyclic or a 8-, 9-, 10- or 12-membered bicyclic, saturated or unsaturated heterocyclic ring which may optionally contain one or two further heteroatoms independently selected from O, N and S, said heterocyclic ring being optionally mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxycarbonyl, hydroxy lower alkyl, lower alkoxy-lower alkyl, di-lower alkylcarbamoyl, carbamoyl, lower alkylcarbonyl amino, oxo, alkanoyl, amino lower alkyl, hydroxy, lower alkoxy, halogen, perfluoro-lower alkyl, cyano, heteroaryl, or by phenyl or phenyl lower alkyl, wherein the phenyl moiety may optionally be mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, halogen, perfluoro-lower alkyl, hydroxy, alkanoyl or cyano.
- 9. The compound of claim 8, wherein R<sup>5</sup> and R<sup>6</sup> together with the nitrogen atom to which they are attached are piperazinyl, morpholino, piperidinyl, piperidin-4-one, pyrrolidinyl, thiomorpholino, azepanyl, 1,2,3,4-tetrahydro-isoquinolinyl, 1,2,3,6-tetrahydro-pyridinyl, [1,4]-diazepanyl, 1,4-dioxa-8-aza-spiro[4.5]dec-8-yl, 2,3,5,6-tetrahydro-[1,2']bipyrazinyl-4yl and 3-hydroxy-8-aza-bicyclo[3.2.1.]oct-8-yl, optionally mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxycarbonyl, hydroxy lower alkyl, lower alkoxy-lower alkyl, di-lower alkylcarbamoyl, carbamoyl, lower alkylcarbonyl amino, oxo, dioxo, alkanoyl, hydroxyl, lower alkoxy, halogen, perfluoro-lower alkyl, heteroaryl, or by phenyl or phenyl lower alkyl, wherein the phenyl moiety may

optionally be mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, halogen, or perfluoro-lower alkyl.

- 10. The compound of claim 9, wherein R<sup>5</sup> and R<sup>6</sup> together with the nitrogen atom to which they are attached are piperidinyl, morpholino, thiomorpholino or pyrrolidinyl, optionally mono- or di-substituted, independently, by hydroxy or by halogen.
- 11. The compound of claim 1, wherein R<sup>5</sup> is hydrogen, lower alkyl, lower alkylsulfonyl, cycloalkyl lower alkyl or hydroxy-lower alkyl.
- 12. The compound of claim 1, wherein R<sup>6</sup> is Y-R<sup>8</sup>, lower alkyl, lower alkoxy, hydroxy-lower alkyl, lower alkoxy-lower alkyl, lower alkylcarbamoyl-lower alkyl, heterocyclyl, cycloalkyl, phenyl or phenyl lower alkyl, wherein the phenyl moiety may optionally be mono-, di- or tri-substituted, independently, by lower alkyl, lower alkoxy, halogen, perfluoro-lower alkyl, hydroxy, alkanoyl or cyano.
  - 13. The compound of claim 1, wherein  $R^7$  is hydrogen.
  - 14. The compound of claim 1, wherein R<sup>7</sup> is cyano, halogen or lower alkyl.
  - 15. The compound of claim 1, wherein R<sup>8</sup> is morpholino, piperidinyl or azepanyl.
  - 16. The compound of claim 1, wherein X is -C(O)- or -SO<sub>2</sub>-.
  - 17. The compound of claim 1, wherein Y is -CH<sub>2</sub>- or -NH-.
  - 18. A compound selected from the group consisting of:
  - 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-piperidine,
  - 1-(4-Chloro-phenyl)-4-(2,2-diphenyl-benzo[1,3]dioxole-5-sulfonyl)-piperazine,
  - 1-(2,3-Dimethyl-phenyl)-4-(2,2-diphenyl-benzo[1,3]dioxole-5-sulfonyl)-piperazine,
  - $1\hbox{-}(2,\!4\hbox{-}Dichloro\hbox{-}phenyl)\hbox{-}4\hbox{-}(2,\!2\hbox{-}diphenyl\hbox{-}benzo[1,\!3]} dioxole\hbox{-}5\hbox{-}sulfonyl)\hbox{-}piperazine,$
  - 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-(4-fluoro-phenyl)-piperazine,
  - $1\hbox{-}(2,2\hbox{-}Diphenyl\hbox{-}benzo[1,3] dioxole\hbox{-}5\hbox{-}sulfonyl)\hbox{-}4\hbox{-}(3\hbox{-}chloro\hbox{-}phenyl)\hbox{-}piperazine,}\\$

- 4-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-morpholine,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-phenyl-piperazine,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-pyrrolidine,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-(3-methoxy-phenyl)-piperazine,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-(4-methoxy-phenyl)-piperazine,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-(2-methoxy-phenyl)-piperazine,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-(2-chloro-phenyl)-piperazine,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-(2-fluoro-phenyl)-piperazine,
- 2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonic acid phenethyl-amide,
- 1-Benzo[1,3]dioxol-5-yl-4-(2,2-diphenyl-benzo[1,3]dioxole-5-sulfonyl)-piperazine,
- 4-Benzyl-1-(2,2-diphenyl-benzo[1,3]dioxole-5-sulfonyl)-piperidine,
- 2-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-1,2,3,4-tetrahydro-isoquinoline,
- 2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonic acid benzyl-methyl-amide,
- 2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonic acid benzylamide,
- 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-methyl-[1,4]diazepane,
- 1-(3-Chloro-5-trifluoromethyl-pyridin-2-yl)-4-(2,2-diphenyl-benzo[1,3]dioxole-5-sulfonyl)-[1,4]diazepane,
  - 2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonic acid phenylamide,
- 2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonic acid [2-(4-methoxy-phenyl)-ethyl]-amide,
  - 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-methyl-piperazine,

- 233 -

1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-(4-fluoro-phenyl)-1,2,3,6-tetrahydro-pyridine,

4-(4-Chloro-phenyl)-1-(2,2-diphenyl-benzo[1,3]dioxole-5-sulfonyl)-1,2,3,6-tetrahydro-pyridine,

1-(2,2-Diphenyl-benzo[1,3]dioxole-5-sulfonyl)-4-phenyl-1,2,3,6-tetrahydropyridine,

racemic 1-[2-(2-Chloro-phenyl)-2-(4-methoxy-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(2-Chloro-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(2-Chloro-phenyl)-2-p-tolyl-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(4-Chloro-phenyl)-2-(4-methoxy-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(4-Chloro-phenyl)-2-p-tolyl-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

1-[2,2-Bis-(4-chloro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(4-Fluoro-phenyl)-2-phenyl-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(4-Methoxy-phenyl)-2-phenyl-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(4-Chloro-phenyl)-2-p-tolyl-benzo[1,3]dioxole-5-sulfonyl]-4-(4-fluoro-phenyl)-1,2,3,6-tetrahydro-pyridine,

racemic 1-[2-(4-Chloro-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

racemic 1-[2-(2,4-Dichloro-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,

- 1-[2,2-Bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- racemic 1-[2-(3-Chloro-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- racemic 1-[2-(4-Chloro-phenyl)-2-(2-chloro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- racemic (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(3-hydroxy-pyrrolidin-1-yl)-methanone,
  - 4-(2,2-Diphenyl-benzo[1,3]dioxole-5-carbonyl)-piperazine-1-carbaldehyde,
- (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(4-hydroxymethyl-piperidin-1-yl)-methanone,
- (1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-(2,2-diphenyl-benzo[1,3]dioxol-5-yl)-methanone,
  - (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,
  - (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(4-methyl-piperazin-1-yl)-methanone,
  - (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(4-isopropyl-piperazin-1-yl)-methanone,
  - 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-carbonyl)-piperidin-4-one,
  - (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(4-hydroxy-piperidin-1-yl)-methanone,
  - (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-pyrrolidin-1-yl-methanone,
- racemic 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-carbonyl)-piperidine-3-carboxylic acid ethyl ester,
- [4-(5-Chloro-2-methoxy-phenyl)-piperazin-1-yl]-(2,2-diphenyl-benzo[1,3]dioxol-5-yl)-methanone,
  - (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(4-m-tolyl-piperazin-1-yl)-methanone,

- (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,
- (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(4-o-tolyl-piperazin-1-yl)-methanone,

racemic 1-(2,2-Diphenyl-benzo[1,3]dioxole-5-carbonyl)-piperidine-2-carboxylic acid ethyl ester,

[4-(2,3-Dichloro-phenyl)-piperazin-1-yl]-(2,2-diphenyl-benzo[1,3]dioxol-5-yl)-methanone,

[4-(4-Chloro-3-trifluoromethyl-phenyl)-piperazin-1-yl]-(2,2-diphenyl-benzo[1,3]dioxol-5-yl)-methanone,

racemic (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(3-hydroxymethyl-piperidin-1-yl)-methanone,

- (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(2,3,5,6-tetrahydro-[1,2']bipyrazinyl-4-yl)-methanone,
  - (2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-(4-pyridin-2-yl-piperazin-1-yl)-methanone,
- (4-Fluoro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-(4-methyl-piperazin-1-yl)-methanone,
  - (4-Fluoro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,
  - (4-Fluoro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,
  - (4,7-Dichloro-2,2-diphenyl-benzo[1,3] dioxol-5-yl)-piperidin-1-yl-methanone,
  - (4,7-Dichloro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,
- (4,7-Dichloro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-(4-methyl-piperazin-1-yl)-methanone,
- (7-Bromo-4-chloro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-(4-methyl-piperazin-1-yl)-methanone,
  - (7-Bromo-4-chloro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,

(7-Bromo-4-chloro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,

(7-Hydroxy-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,

(2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-[4-(4-fluoro-phenyl)-3,6-dihydro-2H-pyridin-1-yl]-methanone,

1-(2,2-Diphenyl-benzo[1,3]dioxol-5-ylmethyl)-4-(4-fluoro-phenyl)-1,2,3,6-tetrahydro-pyridine,

and pharmaceutically acceptable salts thereof.

19. A compound selected from the group consisting of:

N-(2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-benzenesulfonamide,

N,N-bis(methylsulfonyl)-2,2-diphenyl-1,3-benzodioxol-5-amine,

N,N-bis(butylsulfonyl)-2,2-diphenyl-1,3-benzodioxol-5-amine,

Cyclohexanecarboxylic acid (2,2-diphenyl-benzo[1,3]dioxol-5-yl)-amide,

Butane-1-sulfonic acid (2,2-diphenyl-benzo[1,3]dioxol-5-yl)-amide,

N-(2,2-Diphenyl-benzo[1,3]dioxol-5-yl)-butyramide,

Morpholine-4-carboxylic acid (2,2-diphenyl-benzo[1,3]dioxol-5-yl)-amide,

Piperidine-1-sulfonic acid (2,2-diphenyl-benzo[1,3]dioxol-5-yl)-amide,

Piperidine-1-carboxylic acid (2,2-diphenyl-benzo[1,3]dioxol-5-yl)-amide,

[2-(4-Chloro-phenyl)-2-(2-fluoro-4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,

4-[2-(4-Chloro-phenyl)-2-(2-fluoro-4-methoxy-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-morpholine,

- [2-(4-Methoxy-phenyl)-2-(3-nitro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- 4-[2-(4-Methoxy-phenyl)-2-(3-nitro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-morpholine,
- 4-[2-(4-Methoxy-phenyl)-5-(morpholine-4-carbonyl)-benzo[1,3]dioxol-2-yl]-benzonitrile,
- 4-[2-(4-Methoxy-phenyl)-5-(morpholine-4-sulfonyl)-benzo[1,3]dioxol-2-yl]-benzonitrile,
- [2-(2-Fluoro-4-methoxy-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- 4-[2-(2-Fluoro-4-methoxy-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-morpholine,
  - (6-Fluoro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [6-Fluoro-2-(4-fluoro-phenyl)-2-phenyl-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2-(2-Chloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
  - (6-Fluoro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,
- [6-Fluoro-2-(4-fluoro-phenyl)-2-phenyl-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2-Chloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,

- (6-Fluoro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-[4-(4-fluoro-phenyl)-piperazin-1-yl]-methanone,
- [6-Fluoro-2-(4-fluoro-phenyl)-2-phenyl-benzo[1,3]dioxol-5-yl]-[4-(4-fluoro-phenyl)-piperazin-1-yl]-methanone,
- [2-(2-Chloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-[4-(4-fluoro-phenyl)-piperazin-1-yl]-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-[4-(4-fluoro-phenyl)-piperazin-1-yl]-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
  - (6-Methyl-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
  - $(6\text{-}Bromo\text{-}2,2\text{-}diphenyl\text{-}benzo[1,3]} dioxol\text{-}5\text{-}yl)\text{-}piperidin\text{-}1\text{-}yl\text{-}methanone,}$
- (+)-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- (-)-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- $[2\hbox{-}(2,4\hbox{-Dichloro-phenyl})\hbox{-}2\hbox{-}(4\hbox{-fluoro-phenyl})\hbox{-benzo}[1,3]$dioxol-5-yl]-morpholin-4-yl-methanone,$

- $[2\hbox{-}(2,4\hbox{-Dichloro-phenyl})\hbox{-}2\hbox{-}(4\hbox{-fluoro-phenyl})\hbox{-benzo}[1,3]\ dioxol\hbox{-}5\hbox{-yl}]\hbox{-piperidin-}1\hbox{-yl-methanone,}$ 
  - (6-Chloro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,
  - (6-Chloro-2,2-diphenyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid ethyl-methyl-amide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid methyl-propyl-amide,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(2-methyl-pyrrolidin-1-yl)-methanone,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid azepan-1-ylamide,
- Azetidin-1-yl-[2-(2,4-dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-methanone,
- Azepan-1-yl-[2-(2,4-dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-methanone,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid (2,2-dimethyl-1-methylcarbamoyl-propyl)-amide,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(2S-methoxymethyl-pyrrolidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(2R-hydroxymethyl-pyrrolidin-1-yl)-methanone,
- 1-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carbonyl]-pyrrolidine-2R-carboxylic acid dimethylamide,

- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid cyclobutylamide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid morpholin-4-ylamide,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(2,3,5,6-tetrahydro-[1,2']bipyrazinyl-4-yl)-methanone,
- 1-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carbonyl]-pyrrolidine-2S-carboxylic acid amide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid tert-butoxy-amide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid cyclopentylamide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid (tetrahydro-furan-2-ylmethyl)-amide,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-thiomorpholin-4-yl-methanone,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid isopropylamide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid pyrrolidin-1-ylamide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid methoxy-methyl-amide,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(3R-hydroxy-pyrrolidin-1-yl)-methanone,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid bis-cyclopropylmethyl-amide,

- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo [1,3] dioxol-5-yl]-(4-fluoro-piperidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(1,4-dioxa-8-aza-spiro[4.5]dec-8-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-hydroxymethyl-piperidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-hydroxy-4-methyl-piperidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-pyrrolidin-1-yl-methanone,
- N-{1-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carbonyl]-pyrrolidin-3S-yl}-acetamide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid cycloheptylamide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid N'-pyridin-2-yl-hydrazide,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid (2S-methoxymethyl-pyrrolidin-1-yl)-amide,
- $[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo [1,3] dioxol-5-yl]-(1,1-dioxo-thiomorpholin-4-yl)-methanone \,,$
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(3-hydroxy-8-aza-bicyclo[3.2.1]oct-8-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(2R-methoxymethyl-pyrrolidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(3S-hydroxy-pyrrolidin-1-yl)-methanone,

- $N-\{1-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carbonyl]-pyrrolidin-3R-yl\}-acetamide,$
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(2S-hydroxymethyl-pyrrolidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanethione,
- [2-(4-Chloro-phenyl)-2-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
  - 6-(Morpholine-4-carbonyl)-2,2-diphenyl-benzo[1,3]dioxole-5-carbonitrile,
- [2-(4-Chloro-phenyl)-2-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2-(4-Chloro-phenyl)-2-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-pyrrolidin-1-yl-methanone,
  - [2,2-Bis-(2,4-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
  - [2,2-Bis-(2,4-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-pyrrolidin-1-yl-methanone,
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2,2-Bis-(4-bromo-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
  - $4\hbox{-}[2,\!2\hbox{-Bis-}(4\hbox{-}cyano\hbox{-}phenyl)\hbox{-}6\hbox{-}fluoro\hbox{-}benzo[1,\!3]dioxole\hbox{-}5\hbox{-}carbonyl]\hbox{-}morpholine,}\\$
- 4-[2-(4-Bromo-phenyl)-5-fluoro-6-(morpholine-4-carbonyl)-benzo[1,3]dioxol-2-yl]-benzonitrile,

- $\label{eq:continuous} [2,\!2\text{-Bis-}(2,\!4\text{-difluoro-phenyl})\text{-}6\text{-fluoro-benzo}[1,\!3] \\ \text{dioxol-5-yl}]\text{-morpholin-4-yl-methanone},$
- [2,2-Bis-(4-chloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [6-Chloro-2,2-bis-(2,4-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2-Chloro-4-fluoro-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [6-Fluoro-2,2-bis-(2-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2,2-Bis-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- 4-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-morpholine,
- 4-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-morpholine,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4,4-difluoro-piperidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-trifluoromethyl-piperidin-1-yl)-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(3S-ethoxy-pyrrolidin-1-yl)-methanone,
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid (1R-phenyl-ethyl)-amide,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(1-oxo-thiomorpholin-4-yl)-methanone,

- [2,2-Bis-(2-chloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [6-Fluoro-2,2-bis-(4-trifluoromethyl-phenyl)-benzo [1,3] dioxol-5-yl]-morpholin-4-yl-methanone,
- [6-Fluoro-2,2-bis-(3-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2-Chloro-4-fluoro-phenyl)-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
  - [2,2-Bis-(3,4-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
  - [2,2-Bis-(3,4-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2,2-Bis-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(3-hydroxy-pyrrolidin-1-yl)-methanone,
- [2,2-Bis-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(4-hydroxy-piperidin-1-yl)-methanone,
- 2,2-Bis-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-carboxylic acid ethylmethyl-amide,
- 2,2-Bis-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-carboxylic acid bis-(2-hydroxy-ethyl)-amide,
- [2,2-Bis-(4-chloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2,2-Bis-(4-chloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-pyrrolidin-1-yl-methanone,
- [2,2-Bis-(2-chloro-4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,

- [2,2-Bis-(3,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2,2-Bis-(2,5-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2,2-Bis-(2-chloro-4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2,2-Bis-(2-chloro-4-fluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- $[6-Chloro-2,2-bis-(2-chloro-4-fluoro-phenyl)-benzo \cite{1,3}] dioxol-5-yl]-morpholin-4-yl-methanone,$
- 2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid amide,
- [2,2-Bis-(4-bromo-2-fluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(3,4-cis-dihydroxy-pyrrolidin-1-yl)-methanone,
- $\label{eq:continuous} [2,2-Bis-(2,3-difluoro-phenyl)-6-fluoro-benzo \cite{1,3}] dioxol-5-yl]-morpholin-4-yl-methanone,$
- [6-Fluoro-2,2-bis-(4-trifluoromethoxy-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2,2-Bis-(2-chloro-4,5-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- 4-[2,2-Bis-(2-chloro-4-fluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-morpholine,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,

- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(4-fluoro-piperidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(4,4-difluoro-piperidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(4-trifluoromethyl-piperidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(4-hydroxy-piperidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-thiomorpholin-4-yl-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-pyrrolidin-1-yl-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(3S-hydroxy-pyrrolidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(2S-hydroxymethyl-pyrrolidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(2S-methoxymethyl-pyrrolidin-1-yl)-methanone,
  - (6-Chloro-2,2-di-p-tolyl-benzo[1,3] dioxol-5-yl)-morpholin-4-yl-methanone,
- 4-[{6-Chloro-10',11'-dihydro-spiro[1,3-benzodioxole-2,5'-[5H]dibenzo[a,d]cyclohepten]-5-yl}carbonyl]-morpholine,
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-fluoro-piperidin-1-yl)-methanone,
- (4,4-Difluoro-piperidin-1-yl)-[6-fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-methanone,

- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-trifluoromethyl-piperidin-1-yl)-methanone,
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-thiomorpholin-4-yl-methanone,
- (3S-Ethoxy-pyrrolidin-1-yl)-[6-fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-methanone,
- $[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3] dioxol-5-yl]-[(S)-(2-methoxymethyl-pyrrolidin-1-yl)]-methanone\ ,$
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-[(S)-2-hydroxymethyl-pyrrolidin-1-yl]-methanone,
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-[(S)-3-hydroxy-pyrrolidin-1-yl]-methanone,
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-hydroxy-piperidin-1-yl)-methanone,
- 4-[2,2-Bis-(2-chloro-4,5-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-morpholine,
  - (2,2-Di-p-tolyl-benzo[1,3]dioxol-5-yl)-piperidin-1-yl-methanone,
  - (2,2-Di-p-tolyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,
  - 4-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-morpholine,
  - 4-(6-Fluoro-2,2-di-p-tolyl-benzo[1,3]dioxole-5-sulfonyl)-morpholine,
- 1-{6-Fluoro-10',11'-dihydrospiro[1,3-benzodioxole-2,5'-[5H]dibenzo[a,d]cycloheptene]-5-yl}sulfonyl]-piperidine,
- 4-{6-Fluoro-10',11'-dihydrospiro[1,3-benzodioxole-2,5'-[5H]dibenzo[a,d]cycloheptene]-5-yl}sulfonyl]-morpholine,

- 4-[{10',11'-Dihydro-spiro[1,3-benzodioxole-2,5'-[5H]dibenzo[a,d]cycloheptene]-5-yl}carbonyl]-morpholine,
- $1-[\{10',11'-dihydro-spiro[1,3-benzodioxole-2,5'-[5H]dibenzo[a,d]cycloheptene]-5-yl\} carbonyl]-piperidine \,,$
- [6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(3-methoxy-piperidin-1-yl)-methanone,
  - 1-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-pyrrolidine,
  - 1-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- 4-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-thiomorpholine,
  - 1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- 1-[2,2-Bis-(2-chloro-4-fluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
  - $1\hbox{-}[2,\!2\hbox{-Bis-}(2,\!4\hbox{-difluoro-phenyl})\hbox{-}6\hbox{-fluoro-benzo}[1,\!3] dioxole\hbox{-}5\hbox{-sulfonyl}]\hbox{-}pyrrolidine,$
- 1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-4-fluoro-piperidine,
- 1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-4,4-difluoro-piperidine,
- 1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-4-trifluoromethyl-piperidine,
- 4-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-thiomorpholine,
- 1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-2S-methoxymethyl-pyrrolidine,

- 2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonic acid (2S-methoxymethyl-pyrrolidin-1-yl)-amide,
- {1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-pyrrolidin-2S-yl}-methanol,
- 1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-pyrrolidin-3S-ol,
- 1-[2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-piperidin-4-ol,
- 1-[2,2-Bis-(2-chloro-4,5-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- 4-[{6-Fluoro-10',11'-dihydro-spiro[1,3-benzodioxole-2,5'-[5H]dibenzo[a,d]cyclohepten]-5-yl}-carbonyl]-morpholine,
  - (6-Fluoro-2,2-di-p-tolyl-benzo[1,3]dioxol-5-yl)-morpholin-4-yl-methanone,
  - 1-(6-Fluoro-2,2-di-p-tolyl-benzo[1,3]dioxole-5-sulfonyl)-piperidine,
- [6-Fluoro-2,2-bis-(2-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [6-Fluoro-2,2-bis-(2-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-hydroxy-piperidin-1-yl)-methanone,
- 4-Fluoro-1-[6-fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- 4,4-Difluoro-1-[6-fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidine,
- 1-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-4-trifluoromethyl-piperidine,

- 1-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-2-methoxymethyl-pyrrolidine,
- 1-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-pyrrolidin-3S-ol,
  - 1-[6-Fluoro-2,2-bis-(4-fluoro-phenyl)-benzo[1,3]dioxole-5-sulfonyl]-piperidin-4-ol,
  - [2,2-Bis-(3-chloro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2,2-bis-(4-cyano-2-fluoro-phenyl)-6-fluoro-benzo [1,3] dioxol-5-yl]-morpholin-4-yl-methanone,
  - [2,2-Bis-(3,5-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
  - [2,2-Bis-(3,5-difluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- 6-Fluoro-[2,2-bis-(2-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-[(S)-3-hydroxy-pyrrolidin-1-yl)]-methanone,
- 6-Fluoro-2,2-bis-(2-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid ethylmethyl-amide,
- 6-Fluoro-2,2-bis-(2-fluoro-phenyl)-benzo[1,3]dioxole-5-carboxylic acid (2-methoxyethyl)-methyl-amide,
  - [2,2-Bis-(3,5-dichloro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
  - $\hbox{$[2,2-Bis-(3,5-dichloro-phenyl)-benzo} \hbox{$[1,3]$ dioxol-5-yl]-morpholin-4-yl-methanone,}$
- [2,2-Bis-(3-bromo-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [6-Fluoro-2,2-bis-(3-methoxy-phenyl)-benzo[1,3] dioxol-5-yl]-morpholin-4-yl-methanone,
  - [2,2-Bis-(3-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,

[2,2-Bis-(3-chloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,

and pharmaceutically acceptable salts thereof.

- 20. A compound selected from the group consisting of:
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-methoxy-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- (+)-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- (-)-[2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-thiomorpholin-4-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4-fluoro-piperidin-1-yl)-methanone,
- [2-(4-Chloro-phenyl)-2-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(4-Chloro-phenyl)-2-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-piperidin-1- yl-methanone,

- [2-(4-Chloro-phenyl)-2-(2,4-dichloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-pyrrolidin-1-yl-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2-(2,4-Dichloro-phenyl)-6-fluoro-2-(4-fluoro-phenyl)-benzo[1,3]dioxol-5-yl]-(4,4-difluoro-piperidin-1-yl)-methanone,
- [2,2-Bis-(4-chloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-piperidin-1-yl-methanone,
- [2,2-Bis-(4-chloro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-pyrrolidin-1-yl-methanone,
- [2,2-Bis-(4-bromo-2-fluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-morpholin-4-yl-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(4,4-difluoro-piperidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(4-hydroxy-piperidin-1-yl)-methanone,
- [2,2-Bis-(2,4-difluoro-phenyl)-6-fluoro-benzo[1,3]dioxol-5-yl]-(3S-hydroxy-pyrrolidin-1-yl)-methanone,

and pharmaceutically acceptable salts thereof.

21. A pharmaceutical composition comprising a therapeutically effective amount of the compound according to claim 1 and a pharmaceutically acceptable carrier and/or adjuvant.

\*\*\*